

# Schaerer Coffee Art Plus

Model SCA P C/T/S -1M (Coffee, Tea, Powersteam)

June 2011



## Basic configuration

Spouts: coffee / hot water / steam (powersteam)	1 / 1 / 1
Boiler: coffee (3kW) / hot water (3kW) / steam (3kW)	1 / 1 / 1
Grinders / Inlet for ground coffee	1 / 1
Programmable beverage selection	up to 36 different beverages

## Connections

			Power	Fuse protection
Voltage				
1L, N, PE:	220-240 V~	50/60 Hz	2000-2400 W 3000-3600 W 5700-6900 W	10 A 16 A 30 A
3L, N, PE:	380-415 V 3N~	50/60 Hz	5700-6900 W 8300-10100 W	3x 16 A 3x 16 A
2L, PE:	200-220 V 2~	50/60 Hz	4700-5900 W 4700-5900 W	2x 30 A 2x 25 A
3L, PE:	200 V 3~	50/60 Hz	7000 W	3x 20 A
3L, PE:	220 V 3~	50/60 Hz	6900-8500 W	3x 25 A
Water connection			G 3/8 " max 0.6 MPa (6 bar)	
water outlet			Ø 36 mm	
Water hardness			4°-6° dKH / 8°-10° fKH	

## Dimensions

Width / depth / height	420 / 538 / 642 mm
Weight	about 40 kg


## Output per hour (approximate)

	* Top quality according Schaerer Coffee Competence Centre
Espresso (cup of 50 – 60 ml)	250 (175 CCC)*
Coffee (cup of 120 ml)	200 (150 CCC)*
Cappuccino (cup of 180 ml)	180 (CCC 150)*
Latte Macchiato (cup of 200 ml)	160 (CCC 140)*
Hot milk with Milk Smart / cold milk with Cold milk system	160 / 150
Hot water (litre)	20

## Options

Autosteam, Supersteam, Finesteam  
 Lockable bean containers  
 Different milk systems usable  
 External water- and dirty water tank  
 Chute for under-counter grounds disposal  
 Connection to all commercial invoicing systems  
 Cup warmer  
 Touchscreen



## Dimensions



\* Counter cutout for power, drinking water and waste water / Differences between the offered machine and the picture and the configuration are possible.

## Colours

Illustrations may not reflect actual colour

-  Costa Rica, silver
-  Kenya, black

Schaerer Ltd.  
 P.O. Box  
 Allmendweg 8  
 CH-4528 Zuchwil  
 T +41 (0)32 681 62 00  
 F +41 (0)32 681 62 42  
 info@schaerer.com  
 www.schaerer.com

 **schaerer**  
 Coffee comes to life

SWISS MADE

# Schaerer Coffee Art Plus

Model SCA P C/T -1M (Coffee, Tea)

June 2011



## Basic configuration

Spouts: coffee / hot water	1 / 1
Boiler: coffee (3kW) / hot water (3kW)	1 / 1
Grinders / Inlet for ground coffee	1 / 1
Programmable beverage selection	up to 36 different beverages

## Connections

Voltage	Power	Fuse protection
1L, N, PE: 220-240 V~ 50/60 Hz	2000-2400 W 3000-3600 W 5700-6900 W	10 A 16 A 30 A
3L, N, PE: 380-415 V 3N~ 50/60 Hz	5700-6900 W	3x 16 A
2L, PE: 200-220 V 2~ 50/60 Hz	4700-5900 W 4700-5900 W	2x 30 A 2x 25 A
Water connection	G 3/8 " max 0.6 MPa (6 bar)	
water outlet	Ø 36 mm	
Water hardness	4°-6° dKH / 8°-10° fKH	

## Dimensions

Width / depth / height	420 / 538 / 642 mm
Weight	about 40 kg

## Output per hour (approximate)


Espresso (cup of 50 – 60 ml)	250 (175 CCC)**
Coffee (cup of 120 ml)	200 (150 CCC)**
Hot water (litre)	20

\*\* Top quality according Schaerer Coffee Competence Centre

## Options



- Lockable bean containers
- External water- and dirty water tank
- Chute for under-counter grounds disposal
- Connection to all commercial invoicing systems
- Cup warmer
- Touchscreen

## Dimensions



## Colours

Illustrations may not reflect actual colour

-  Costa Rica, silver
-  Kenya, black

\* Counter cutout for power, drinking water and waste water / Differences between the offered machine and the picture and the configuration are possible.

Schaerer Ltd.  
P.O. Box  
Allmendweg 8  
CH-4528 Zuchwil  
T +41 (0)32 681 62 00  
F +41 (0)32 681 62 42  
info@schaerer.com  
www.schaerer.com

 **schaerer**  
Coffee comes to life

# Schaerer Coffee Art Plus

Model SCA P C/T -2M (Coffee, hot water)

June 2011



## Basic configuration

Spouts: coffee / hot water	1 / 1
Boiler: coffee (3kW) / hot water (3kW)	1 / 1
Grinders / Inlet for ground coffee	2 / 1
Programmable beverage selection	up to 36 different beverages

## Connections

Voltage			Power	Fuse protection
1L, N, PE:	220-240 V~	50/60 Hz	2000-2400 W	10 A
			3000-3600 W	16 A
			5700-6900 W	30 A
3L, N, PE:	380-415 V 3N~	50/60 Hz	5700-6900 W	3x 16 A
2L, PE:	200-220 V 2~	50/60 Hz	4700-5900 W	2x 30 A
			4700-5900 W	2x 25 A
Water connection	G 3/8 " max 0.6 MPa (6 bar)			
water outlet	Ø 36 mm			
Water hardness	4°-6° dKH / 8°-10° fKH			

## Dimensions

Width / depth / height	420 / 538 / 642 mm
Weight	about 40 kg

## Output per hour (approximate)


Espresso (cup of 50 – 60 ml)	250 (175 CCC)**
Coffee (cup of 120 ml)	200 (150 CCC)**
Hot water (litre)	20

\*\* Top quality according Schaerer Coffee Competence Centre

## Options



- Lockable bean containers
- External water- and dirty water tank
- Chute for under-counter grounds disposal
- Connection to all commercial invoicing systems
- Cup warmer
- Touchscreen

## Dimensions



## Colours

Illustrations may not reflect actual colour

-  Costa Rica, silver
-  Kenya, black

\* Counter cutout for power, drinking water and waste water / Differences between the offered machine and the picture and the configuration are possible.

Schaerer Ltd.  
P.O. Box  
Allmendweg 8  
CH-4528 Zuchwil  
T +41 (0)32 681 62 00  
F +41 (0)32 681 62 42  
info@schaerer.com  
www.schaerer.com

 **schaerer**  
Coffee comes to life

SWISS MADE

# Schaerer Coffee Art Plus

Model "CM" Centre Milk

June 2011



## Grundausrüstung

Removable milk tank	1 x 8 litre ore 2 x 4 litre
Pump for milk fridge	2


## Connections

This device must always be connected to the adjacent coffee machine

## Dimensions

Width / depth / height	259 / 470 / 564 mm
Weight	28 kg
Capacity	8 litre

## Dimension



Differences between the offered machine and the picture/configuration are possible.

Schaerer Ltd.  
P.O. Box  
Allmendweg 8  
CH-4528 Zuchwil  
T +41 (0)32 681 62 00  
F +41 (0)32 681 62 42  
info@schaerer.com  
www.schaerer.com

 **schaerer**  
Coffee comes to life

SWISS MADE

# Schaerer Coffee Art Plus

Model "CS" Cold Milk System

June 2011



## Basic configuration

Removable milk tank	8 litre
Pump for milk fridge	1


## Connections

This device must always be connected to the adjacent coffee machine

## Dimensions

Width / depth / height	259 / 470 / 564 mm
Weight	28 kg
Capacity	8 litre

## Dimensions



Differences between the offered machine and the picture/configuration are possible.

Schaerer Ltd.  
P.O. Box  
Allmendweg 8  
CH-4528 Zuchwil  
T +41 (0)32 681 62 00  
F +41 (0)32 681 62 42  
info@schaerer.com  
www.schaerer.com

 **schaerer**  
Coffee comes to life

SWISS MADE

# Schaerer Coffee Art Plus

Model "TM" Under Counter Milk

June 2011



## Basic configuration

Removable milk tank (For two varieties of milk in a single cooling unit)	2 x 4 litre
Pump for milk fridge	2



## Connections

This device must always be connected to the adjacent coffee machine

## Dimensions

Width / depth / height	259 / 470 / 564 mm
Weight	28 kg
Weight	2 x 4 litre

## Dimensions



(de) Milchschräuche  
(en) Milk tubes  
(fr) Tuyaux de lait

Differences between the offered machine and the picture and the configuration are possible

Schaerer Ltd.  
P.O. Box  
Allmendweg 8  
CH-4528 Zuchwil  
T +41 (0)32 681 62 00  
F +41 (0)32 681 62 42  
info@schaerer.com  
www.schaerer.com

 **schaerer**  
Coffee comes to life

SWISS MADE

# Schaerer Coffee Art Plus

Model "UC" Under Counter Milk

June 2011



## Basic configuration

Removable milk tank	1 x 8 litre or 2 x 4 litre
Pump for milk fridge	1



## Connections

This device must always be connected to the adjacent coffee machine

## Dimensions

Width / depth / height	259 / 470 / 519 mm
Weight	28 kg
Capacity	8 litre

## Dimensions



(de) Milchschräuche  
(en) Milk tubes  
(fr) Tuyaux de lait

Differences between the offered machine and the picture and the configuration are possible.

Schaerer Ltd.  
P.O. Box  
Allmendweg 8  
CH-4528 Zuchwil  
T +41 (0)32 681 62 00  
F +41 (0)32 681 62 42  
info@schaerer.com  
www.schaerer.com

 **schaerer**  
Coffee comes to life

SWISS MADE